



GergoSil

Silicone Adhesive Tape
For Splicing of siliconized surfaces




Ideal for splicing siliconized paper or film, the **GergoSil** product range offers good adhesion on all types of materials.

- High temperature resistance
- High resistance to chemicals
- High bond on multiple siliconized surfaces
- Removable without residues
- Recommended for bonding silicone profiles or foams
- Color coding for easy product identification

Single-Sided Silicone Adhesive Tape

900S - Red Silicone Adhesive Tape


Very thin single-sided silicone adhesive tape, for splicing siliconized paper or film.



902S - Blue Silicone Adhesive Tape

A single-sided silicone adhesive tape with similar properties to reference 900S. 902S is characterized by its siliconized backing, making it particularly suitable for splicing of self-adhesive tapes.


A peel tab is added at the beginning of the roll and unlike existing products on the market, its PET filmic liner is easy to remove, significantly increasing the comfort of use on the shop floor.



904S - Green Silicone Adhesive Tape

Single-sided silicone adhesive tape, reference 904S has a similar construction to 900S, but is characterized by a thicker carrier (50 µm).

Reference 904S is therefore particularly suitable for splicing operations on large width rolls, thanks to ease of application.



	900S	902S	904S
Carrier	PET	PET	PET
Carrier thickness	23 µm	23 µm	50 µm
Adhesive tape thickness	58 µm	58 µm	85 µm
Color	Red	Blue	Green
Liner	Without	PET 23 µm	Without
Adhesion on steel	4,0 N/cm	4,0 N/cm	5,4 N/cm
Adhesion on siliconized paper	2,3 N/cm	2,6 N/cm	2,0 N/cm
Maximum temperature resistance on steel	> 230 °C	> 230 °C	> 230 °C
Available in logs	1500 mm x 66 M	1500 mm x 66 M	1500 mm x 66 M
Available in slit rolls	15 mm x 66 M 48 mm x 66 M	48 mm x 66 M	48 mm x 66 M 245 mm x 66 M


Double-Sided Silicone Adhesive Tape

900D - Silicone / Acrylic Adhesive Tape

Double-sided Silicone / Acrylic adhesive tape, with double liner.

The silicone-adhesive side has excellent adhesive properties on siliconized substrates (papers, films), as well as on silicone-based materials (silicone foam, silicone profiles, etc.)

The acrylic-adhesive side (solvent based) is a high-performance adhesive formulation, with excellent shear and temperature-resistance properties.



Adhesive	Silicone	Acrylic
Adhesive tape thickness	150 µm	
Adhesion on steel	6,2 N/cm	7,1 N/cm
Maximum temperature resistance on steel	> 230 °C	> 230 °C

Liner	PET	PE Paper
Liner thickness	75 µm	110 µm
Color	Transparent	White

Carrier	PET
Carrier thickness	23 µm
Color	Transparent

Available in logs	1000 mm x 66 M
--------------------------	----------------



Contact us for more information on our GergoSil product range : adhesive-tapes@gpi.fr.

Discover our other adhesive solutions :



GergoFix product range

Double-sided adhesive solution
to fix, mount, bond and assemble



GergoSign product range

Adhesive floor-marking products
for easy personalised marking of
workshops, warehouses and public spaces !



GergoPad product range

Adhesive pads
protection / anti-slip / anti-shock